



Introduction to E-Mail system


電子郵件信箱系統入門

- Wei-li Tang 唐瑋勵
- September 19th, 2008.



Outline 大綱

- Concept of client/server architecture
- E-Mail Transportation
- Mail User Agents
 - Microsoft Outlook Express
 - Mozilla Thunderbird
 - Webmail
 - NCNU Webmail
- Mail letter format 寫信的正确格式





Concept of client/server architecture



- Client/Server (主從式架構)
 - One of the central ideas of network computing.





Concept of client/server architecture

- Client 用戶端
 - Initiates requests.
 - Typically interacts directly with end-users using a graphical user interface.
- Server 伺服器端
 - Never initiates requests or activities.
 - Listens to network and responds only to requests from connected clients.





Concept of client/server architecture


- Advantage
 - High Efficiency
 - Enables the roles and responsibilities of a computing system to be distributed among several independent computers.
 - For example, client displays pretty interface to user, and server concentrates on data access, system maintenance, and security management.





E-Mail Transportation

- Walkthrough of sending a e-mail
 1. 暨大的 Alice 想寄信給台大的 Bob, 於是用 SMTP 將信先送到 ncn.edu.tw 暨大的 Mail Server
 2. 暨大 Mail Server 以 SMTP 將信送給台大 Mail Server
 3. Bob 用 POP3 從台大 Mail Server 取回信件





E-Mail Transportation


- Simple Mail Transfer Protocol (SMTP)
 - A de facto standard for e-mail transmissions across the Internet.
- Post Office Protocol version 3 (POP3)
 - A standard for retrieving e-mail from a remote server over a TCP/IP connection.





Mail User Agents


- An e-mail client, aka Mail User Agent (MUA), aka e-mail reader is a frontend computer program used to manage e-mail.
- Popular MUAs
 - Microsoft Outlook Express
 - Mozilla Thunderbird
 - Webmail





Mail User Agents


- Microsoft Outlook Express
 - Bundled with Microsoft Windows.
 - Easy to use.





Mail User Agents

- Mozilla Thunderbird
 - A free, open source, cross-platform e-mail client.
 - Features junk filtering, extensions, themes, etc.





Mail User Agents

- Webmail
 - An email service intended to be primarily accessed via a web browser.
 - For example: Gmail, Yahoo! Mail, Hotmail, and NCNU Webmail, etc.

The screenshot shows the Mail2000 V4.0 webmail interface. The left sidebar contains folders like '收信匣 (3/6)', '虛擬信匣', '送信匣', '草稿匣', '回收筒', '廣告信匣', and '信件匣管理'. The main area displays an inbox table with columns for checkboxes, titles, senders, dates, and sizes. Below the table, a notification from '國立暨南國際大學文件公告系統' is visible, stating that new files have been added for students between 2008/9/12 and 2008/9/13.

	標題	寄件人	日期	大小
<input type="checkbox"/>	2008/9/17 暨大文件公告訂閱寄達	administrator(暨大文件公告系統)	09/17/02:34	6 K
<input type="checkbox"/>	2008/9/13 暨大文件公告訂閱寄達	administrator(暨大文件公告系統)	09/13/02:21	4 K
<input type="checkbox"/>	選課結果通知	curricul	09/12/14:44	2 K
<input type="checkbox"/>	2008/9/12 暨大文件公告訂閱寄達	administrator(暨大文件公告系統)	09/12/02:14	9 K
<input type="checkbox"/>	2008/9/11 暨大文件公告訂閱寄達	administrator(暨大文件公告系統)	09/11/02:21	5 K
<input type="checkbox"/>	沒標題		09/10/16:14	27 K

由來源: 暨大文件公告系統 <administrator@ccweb1.ncnu.edu.tw>
標題: 2008/9/13 暨大文件公告訂閱寄達

國立暨南國際大學文件公告系統-最新文件

您所訂閱的文件對象是：學生
2008/9/12 至 2008/9/13 之間的新文件如下：



Mail Letter Format 寫信的正确格式

- 簡易格式說明
 - 稱謂及敬語
 - 開頭問候語 (問候、思念、欽佩、祝賀、致謝 ...)
 - 正文
 - 結尾祝福語
 - 署名及敬語
 - 日期
- 遵守格式的優點
 - 禮貌、尊重他人
 - 展現誠意



Mail Letter Format 寫信的正确格式

- 範例

吳坤熹 老師：

老師好，我是唐瑋勵。我想知道我的期末成績，
能否煩請老師查詢一下？

謝謝！

祝 身體健康

資工系 唐瑋勵 敬上

2008/09/19



Mail Letter Format 寫信的正确格式

- Fatal Error 致命錯誤

- 種類一：毫無誠意的一行文

- 範例：老師我期末成績如何?? 考不好讓我過好不好???

- 種類二：ㄅㄆㄇ注音文滿天飛

- 範例：ㄅㄆㄇ做業寫好ㄅㄆ? 偶解ㄅ出來??

- 種類三：寫錯字，用錯標點符號

- 新注音、新酷音、自然輸入法愛用者務必注意，自動選詞選字並非 100% 正確！
- 其他情況者 ... 呃 ... 請好好上國文課。

- 用心寫信不會少塊肉，有好處沒壞處。

- 務必避免發生！





Q&A: Any questions?

Thanks!

Wei-li Tang
alexwl@ms11.voip.edu.tw

September 19th, 2008.

